LOCKER BANK.





INSTALLATION GUIDE.

LOCKER INSTALLATION:

PLEASE READ CAREFULLY AND ENSURE ALL SAFETY PRECAUTIONS ARE FULLY CONSIDERED WHEN PLANNING YOUR DESIGN FOR THE INSTALLATION OF FSP LOCKERS, INCLUDING BUT NOT LIMITED TO:

1 - EGRESS

- 2 Access toservices
- 3 Drainage
- 4 Electrical
- 5 Fire safety
- 6 Ventilation in case of fire
- 7 Positioning to help prevent fire spread

IN PARTICULAR:

DO NOT: Block or impede exits, including doorways, lifts, stairwells, and passageways.

DO NOT: Impede pedestrian flow through.

DO NOT: Install over drainage grates.

DO NOT: Cover or obstruct manholes or service access areas.

DO NOT: Block electrical sub-boards or meter access.

DO NOT: Impede access to Fire safety equipment. Including fire cabinets, fire extinguishers, fire hydrants and fire hose reels. Please ensure a clear passageway for suitable extension of fire hose.

LOCKERS INSTALLED IN OPEN OR NON-LOCKABLE ENVIRONMENTS; ESPECIALLY IF ARSON IS LIKELY:

- Installations in external non-lockable areas possibly subject to arson should be adapted to allow adequate ventilation around lockers.
- Banks of lockers or lockers placed adjacent to other flammable materials should be installed with preferably a four-meter (4m) distance to reduce the risk of fire spread
- We also recommend that individual locker doors be locked overnight, to help prevent materials inside from being used as fuel, and prevent fires being set within the locker compartment itself.

WHERE POSSIBLE HAVE LOCKERS CONTAINED WITHIN A SECURE, LOCKABLE OR NON-ACCESSIBLE AREA AFTER HOURS OR WHEN UNATTENDED.

FOR FURTHER QUESTIONS OR QUERIES DO NOT HESITATE TO CONTACT US DIRECTLY.

FSP GLOBAL PRODUCTS PTY LTD.

WHAT YOU WILL NEED:

Hex Screws (10-12 x 20mm)







PVC SupportBaton/s



Power Drill + Attachments

Hacksaw



NOTE:

Quantity requirements will vary dependent on the amount and style of lockers you have chosen to purchase and assemble.



01

POSITION THE LOCKER ON TOPOF THE KICKER BASE. (IF APPLICABLE)

DRILL GUIDE HOLES (4x5mm) THROUGH THE LOCKER ONLY.

SECURE THE KICKER BASE WITH



SCREWS, USING DRILLED HOLES AS A GUIDE. **4**x 02 STEP TWO: LAY THE LOCKERFLAT **ONITSBACKANDCHECK** THE SCREWS ARE SECURE. NOTE: WHEN INSTALLING A LOCKER BANK, THE KICKER BASE IS ONLY **ENSURE THE KICKER BASE** TO BE INSTALLED ON THE BASE OF THE **ISFLUSHWITH THE BACK OF THE BOTTOM LOCKER.** LOCKER FOR CORRECT ALIGNMENT.

NOTE:



НЕХ 10-12 × 20mm

WHEN INSTALLING A LOCKER BANK, THE SLOPING TOP IS ONLYTOBEINSTALLEDON THE TOP OF THE LOCKER.





SMALL GAPS ALONG THE VERTICAL JOINT AT THE BACK OF THE LOCKER BANK ARE TO BEEXPECTED.



if sloping tops and kicker bases have been requested please refer to steps 1-4 for installation instructions.

NOTE:

STEP TEN:

SECURE TOP LOCKERS TO BOTTOM LOCKERS USING HEX SCREWS.

SECURE LOCKERS TOGETHER USING COUNTER SUNK SCREWS IN TOP, BOTTOM AND MIDDLE OF THE DOOR HINGES.

THE AMOUNT OF SCREWS REQUIRED WILL VARY BASED ON YOUR LOCKER CONFIGURATION.



NOTE:

LARGE LOCKER BANKS WILL REQUIRE ASSISTANCE FOR ASSEMBLY.

PLEASE DO NOT ATTEMPT TO LIFT OR MOVE JOINED LOCKERS WITHOUT ASSISTANCE.





DISCLAIMER:

Please read all instructions before beginning installation.

These guidelines are provided in good faith to help prevent any problems caused by errors in installation.

The manufacturer of this product shall not be held responsible for installation actions taken or not taken.

There are many details of installation that are assumed to be general construction knowledge to experienced installers; which are not included in these instructions.

These installation guidelines are intended to be strictly recommendations and are not to serve as a step-by-step, fail-safe installation checklist.

Selection of an experienced installer is the sole responsibility of the project owner.

FSP Global Pty. Ltd. does not accept any responsibility for injury, product failure, damage, incorrect product operation, resulting from or associated with improper site conditions and evaluation due to incorrect installation.

NOTE:

Locker configurations may differ based on your specific order requirements.

INSTALLATION:

Ensure lockers are being installed on a flat, level surface.

Installation of locker banks on warped surfaces may cause irreparable damage to locker banks over time.

Items such as the sloping tops, and kicker bases may arrive pre-installed, if so disregard steps 1-4.

The installation guide is broken down into 10 simple steps, end results may vary dependent on locker configurations and order specifications.

ATTACHING LOCKERS TO WALLS/SURFACES:

Once the locker bank has been assembled, the onus of affixing the locker bank to any surface is on the business/organisation directly.

FSP does not provide materials or instructions for affixing locker banks to specific surfaces, as requirements will change dependent on the installation site.

Please conduct an adequate risk assessment before affixing a locker bank to your desired surface.

For further questions or queries do not hesitate to contact us directly.



Danmark:

- Fuglebækvej 2 A, 1 th
- 2770 Kastrup
- CVR nr. 3503 8981
- Tlf.: +45 3251 0700
- Mail: info@laiderz.dk

Norge:

- Sletta Næringspark
- Postboks 144, 1556 Son
- Org.nr. 920 813 410
- Tlf.: +47 9700 5420
- Epost: as@laiderz.no
- Føroyar:
- 100 Tórshavn
- V-tal: 620416
- Tlf.: +45 3251 0700
- Teldupostur: info@laiderz.dk